

Pomogranate				
Sr. no.	Growth Stages	Products	Applications	Method & Dosage
1	At the time of land preparation	Neem cake	To improve efficiency of nitrogen providing fertilizers.	Soil Application
2	After 20 days of Plantation	Humic acid	For root development	Soil Application - 2gm/ L of water
		Thrive	For management of fungal disease infection.	Drenching - 2ml/L of water
		Lumme	For healthy growth of plants	Drenching - 2ml/L of water
3	After 2 months of Plantation	Lumme	To improve growth of plants & flowering	Foliar spray, 2ml/litre of water
		Spotless	To minimise infestation of bacterial and insect pest	Foliar spray, 2 ml/litre of water
		Neem oil	For Management of insect pests	Drenching - 2ml/L of water
4	At the time of fruiting	Entice	To minimise infestation of insect pest	Drenching or Foliar spray, 2 ml/litre of water
		Lumme	To fruit development and growth.	Drenching or Foliar spray, 2 ml/litre of water
		Spotless	To minimise infestation of bacterial and insect pest	Foliar spray, 2 ml/litre of water
5	Fruit Enlargement stage	Lumme	To fruit development and growth.	Drenching or Foliar spray, 2 ml/litre of water
		Spotless	To minimise infestation of bacterial and insect pest	Foliar spray, 2 ml/litre of water
<p><b>Note:</b></p> <ol style="list-style-type: none"> <li>1. Spray should be given in morning or evening. Avoid applications under high wind, there should not be any heavy rainfall at least within 5 hours of application.</li> <li>2. Not to be used on crops other than specified on this leaflet.</li> <li>3. Do not mix above Herbal products with any chemical products.</li> <li>4. The used packages shall not be left outside to prevent their re-use. This material should be disposed of in safe manner to prevent environmental and water pollution.</li> </ol>				